


This drawing is provisional and subject to our reconfirmation and/or revision without notice

xxx TIPW 1L22 (01) xxx (2100 1121) 00-06-26

DH1~DH2=16171 (±20)

Coordinates




Mark	X	Y	R
GM	0	0	—
f28	3957	7049	1500
DH1	-7900	-3000	—
DH2	8294	-1900	—
a1	-7569	-3928	300
a2	-7252	-4215	200
a3	-5914	-5092	200
a4	-5433	-5228	300
a5	-3437	-6383	400
a6	2156	-6922	400
a7	4625	-6757	300
a8	5106	-6621	200
a9	6444	-4745	200
a10	6761	-4358	300



Section a1~4

Section a7~10

Section f28







Quantity	Unit	1/1000 mm	Cal. No. : 1L22
Scale	Scale	10:1	Parts:
Date	Drawn		Name:
Checked	Checked	T. Hiruta	Frame for Case
Approved	Approved		Drawing No. : 1L22C000
Material		General Tolerances	
Heat Treatment		Dimensions	
Hardness		Angles	
Plating			

DH1~DH2=16171 (±20)

Coordinates

Mark	X	Y	R
GM	0	0	—
f 28	3957	7049	1500
DH1	-7900	-3000	—
DH2	8234	-1900	—
a1	-7569	-3828	300
a2	-7252	-4215	200
a3	-5914	-5092	200
a4	-5433	-5228	300
a5	-3437	-6383	400
a6	2156	-6922	400
a7	4625	-5757	300
a8	5106	-5621	200
a9	6444	-4745	200
a10	6761	-4358	300




Section a1~4

Section a7~10

Section f28

Quantity	Unit	1/1000 mm	Cal. No. : 1L32
Scale	10:1		Parts:
Date			
Drawn			
Checked	T. Hiruta		Name: Frame for Case
Approved			Drawing No. : 1L32C000
Material		General Tolerances	
Heat Treatment		Dimensions	
Hardness		Angles	
Plating			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




*** T I P W (01) *** (2100 1121) *** 00-06-16

7		Quantity		Ca l. No. :	1L32-10A
6		Unit	1/1000 mm	Parts:	
5		Scale	7:1	Name:	Indications for Dial
4		Date		Drawing No. : 1L32D000	
3		Drawn			
2		Checked	T. Hiruta		
1		Approved			
Material					
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** T I P W (01) *** (2100 1121 A-01 A-01) 00-06-22



7			Quantity		Ca l. No. :
6			Unit	1/1000 mm	Parts:
5			Scale	20:1	
4			Date		065-477
3			Drawn		
2			Checked	T. Hiruta	Name:
1			Approved		SETTING STEM
Material					Drawing No. : 4770S000
Heat Treatment			General Tolerances		
Hardness			Dimensions		
Plating			Angles		